


THE LYRA

FIELD TERM PLUG CAT.6A STP




MORE AND MORE IP DEVICES ARE BEING INSTALLED IN BUILDINGS.

—

**With this tendence barpa
introduces our newest product,
The Lyra.**

With this field terminable plug
you can make the most of your network!



THE FUTURE IS HERE

FOUR PRESSURE RELIEF SETTINGS

Applicable for cable diameters
from 5.0 mm to 9.0 mm.

360° SHIELDING


Protected data
transmission even
with external electrical
interference.

LONG RELEASE LATCH

Insertion and withdrawal
made easy in confined
spaces.

PRE-ASSEMBLED PROTECTION CAP

Effective protection of
contacts from dusts and
damage in transit also whilst
assembly of the cable.




STANDARDISED PLUG INTERFACE

acc. to EN 60603-7-51

ROBUST ZINC DIE-CAST HOUSING

Hardened and tempered
finish to prevent outside
electrical interference.



DESCRIPTION


- Accept CU conductor diameter
 - Solid - 0.51 - 0.64 mm (AWG24/1 - 22/1)
 - Stranded - 0.46 - 0.76mm (AWG27/7 - AWG22/7)
- T568B Connection
- PoE+
- Cat. 6A
- 500 MHz
- 10 Gb

APPLICATIONS

- Building cabling
- Industrial
- Residencial cabling (cameras)

BENEFITS

- Replace of standard modular plugs
- Present in the latest standard ANSI/TIA-568.2-D
- Connection system similar to keystone RJ45
- Direct connection to industrial machines
- Connection from the cabinet direct to termination devices
- Don't need to use patch cords and outlets, perfect for small spaces
- Increase the safety of the devices





barpa

WWW.BARPA.EU